

FITTING INSTRUCTIONS FOR CP0407BL AERO CRASH PROTECTORS FOR TRIUMPH BONNEVILLE T120 '16-, STREET TWIN '16- & THRUXTON 1200 '16- NON-DRILL KIT






Picture A

Picture B

THIS KIT CONTAINS THE ITEMS PICTURED AND LABELLED BELOW. DO NOT PROCEED UNTIL YOU ARE SURE ALL PARTS ARE PRESENT.


Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike.

THE PARTS SHOWN MAY BE REPRESENTATIVE ONLY (FOR CLARITY OF INSTRUCTIONS ONLY).



Page ${\mathbb I}$

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



LEGEND

 $\overline{\text{ITEM 1}} = \overline{\text{SPACER}} (S0969 - 86.50 \text{mm LONG}) (x1).$

ITEM 2 = M6 WASHER (x1).

ITEM 3 = MOUNTING PLATE (PLATE 0182) (x1).

ITEM $4 = M6 \times 55 \text{mm}$ LONG BUTTON HEAD BOLTS (x2).

ITEM 5 = CRASH PROTECTOR (B0061 with CS340) (x2).

ITEM 6 = LOCK-WASHERS (LW0001) (x2).

ITEM 7 = M12 WASHERS (x2).

ITEM $8 = M12 \times 1.25 \times 180 \text{mm}$ LONG HEX HEAD BOLT (x1).

ITEM 9 = CRASH PROTECTOR CAPS (BC0002) (x2).

ITEM $10 = M12 \times 1.25 \times 190 \text{mm}$ LONG HEX HEAD BOLT (x1).

ITEM 11 = M6 x 45mm LONG BUTTON HEAD BOLTS (x2).

ITEM 12 = MOUNTING PLATE (PLATE 0183) (x1).

ITEM 13 = SPACER (S0970 - 91.50 mm LONG) (x1).

Please note that in cases where kits are packed with rubber washers holding the components onto the bolt - the rubber washers should be thrown away!

TOOLS REQUIRED

- Socket set to include 4mm AF socket and wrench.
- Socket set to include 8 & 19mm sockets and wrench.
 - T55 Torx socket.
 - 17mm spanner.
 - Torque wrench (up to 40N/m).

R&G Racing





GENERAL TORQUE SETTINGS

M4 BOLT = 8Nm M5 BOLT = 12Nm M6 BOLT = 15Nm M8 BOLT = 20Nm M10 BOLT = 40Nm







Picture 2




Picture 3



Picture 4






Picture 5



Picture 6




Picture 7



Picture 8



Picture 9



Picture 10